


SK6550S4KFL

65" SMART FRAMELESS LED TV



Specification

PANEL	
Panel	A Grade open cell panel
Aspect Ratio	TFT LED
Aspect Ratio	16:9
Resolution	3840*2160
Brightness	300cd/m2
Contrast	3000:1
Viewing Angle	176°(H) X 176°(W)
Maximum Colors	16.7M
Response Time	6.5ms
Sync Frequency	60HZ
Backlight Life	≥30000 hrs
SYSTEM & FEATURES	
TV System	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL,SECAM,NTSC
OSD language	English/French/Arabic/Farsi/Persian,...
TV Solution	DTV(DVB-T2/S2)
Picture Mode	Yes
Sound Mode	Yes
Sound Effect	Yes
Max Storage Channel	99

SK6550S4KFL

65" SMART FRAMELESS LED TV



CONNECTORS	
RJ45	×1
USB Input	×2
HDMI Input	×3
AV IN	×1
TV2 (S2)	×1
TV1 (T/T2/C)	×1
Earphone Out	×1
Coaxial Out	×1
Operating System	
Resolution	4k 3840*2160
share with phone	Yes
OS	Android 14.0 (AOSP)
CPU	ARM CA53*4
GPU	G52MC1
DDR SIZE	1.5G Byte
Flash Memory	8GB Byte
CPU Frequency	1150-1450MHz
GPU Frequency	500Mhz
Packing details (Dimension)	
Loading	196pcs/40'HQ
TV Dimension	1448*67.6*832.1mm
Packing Dimension	1489*114*881MM
OTHER FEATURES	
HDTV Compatible (YPBPR)	Yes
Bluetooth	Yes
WIFI	Yes
VGA resolution	640*480, 800*600, 1024*768, 1366*768, 1920*1080, 3840*2160 (UHD Panel only)
Stand base	plastic
MAIN board	3 in 1 board S.T.CS2560P839
POWER REQUIREMENTS	
Power Source	100-240VAC 50/60HZ
Power ON consumption	≤108W
Standby consumption	≤0.5W

SK6550S4KFL

65" SMART FRAMELESS LED TV



Power Plug	EU
------------	----

USB 2.0 SLOT

USB Type	2.0
Video Support	MPEG1/2/4,H.264
Audio Support	MP3
Photo Support	JPG/JPEG/BMP/PNG
Other Support	TXT

ACCESSORIES IN THE BOX

Remote control	1
User Manual	1
Stand	1 pair

AUDIO

Max Audio Output Power	2*10W (8Ω)
Total number of speakers	2
Speaker	Box Speaker

Weight

Net Weight (Kg)	19.8
Gross Weight (Kg)	24