




SK2410N

24" NORMAL FRAMELESS LED TV



Specification

PANEL	
Panel	A Grade open cell panel
Aspect Ratio	TFT LED
Aspect Ratio	16:9
Resolution	1366*768
Brightness	180cd/m2
Contrast	3000:1
Viewing Angle	176°(H) X 176°(W)
Maximum Colors	16.7M
Response Time	6.5ms
Sync Frequency	60HZ
Backlight Life	≥30000 hrs

SYSTEM & FEATURES	
TV System	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL,SECAM,NTSC
OSD language	English/French/Arabic/Farsi/Persian,...
Max Storage Channel	99
Picture Mode	Yes
Sound Mode	Yes
Sound Effect	Yes

SK2410N

24" NORMAL FRAMELESS LED TV



CONNECTORS	
USB Input	×1
HDMI Input	×1
VGA Input	×1
PC AUDIO Input	×1
Earphone Out	×1
Coaxial Out	×1
MINI AV	×1
TV1 (T/T2/C)	×1
AUDIO	
Max Audio Output Power	2*5W (4Ω)
Total number of speakers	2
Packing details (Dimension)	
Loading	3080pcs/40'HQ
TV Dimension	554.6*65.3*33.5mm
Packing Dimension	590*105*370MM
OTHER FEATURES	
HDTV Compatible (YPBPR)	No
VGA resolution	640*480, 800*600, 1024*768, 1366*768, 1920*1080 (FHD Panel only)
Stand base	plastic
MAIN board	3 in 1 board KK.RU10.672B
POWER REQUIREMENTS	
Power Source	100-240VAC 50/60HZ
Power ON consumption	≤36W
Standby consumption	≤0.5W
Power Plug	EU
USB 2.0 SLOT	
USB Type	2.0
Video Support	MPEG1/2/4,H.264
Audio Support	MP3
Photo Support	JPG/JPEG/BMP/PNG
Other Support	TXT

SK2410N

24" NORMAL FRAMELESS LED TV



ACCESSORIES IN THE BOX

Remote control	1
User Manual	1
Stand	1 pair

Weight

Net Weight (Kg)	2.4
Gross Weight (Kg)	3.2