

SK4040SFL

40" SMART FRAMELESS LED TV



SMART TV

1080p
FULL HD

AV
MODE

FRAMELESS
DISPLAY

HDMI
INPUT

WiFi

DVB T2
DVB S2



USB
2.0

True Color

Smart
Energy
Saving



Specification

PANEL

Panel	A Grade open cell panel
Aspect Ratio	TFT LED
Aspect Ratio	16:9
Resolution	1920*1080
Brightness	180cd/m2
Contrast	3000:1
Viewing Angle	176°(H) X 176°(W)
Maximum Colors	16.7M
Response Time	6.5ms
Sync Frequency	60HZ
Backlight Life	≥30000 hrs

SYSTEM & FEATURES

TV System	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL,SECAM,NTSC
OSD language	English/French/Arabic/Farsi/Persian,...
TV Solution	DTV(DVB-T2/S2)
Picture Mode	Yes
Sound Mode	Yes
Sound Effect	Yes
Max Storage Channel	99

SK4040SFL

40" SMART FRAMELESS LED TV



CONNECTORS	
RJ45	×1
USB Input	×2
HDMI Input	×2
RCA AV	×1
TV2 (S2)	×1
TV1 (T/T2/C)	×1
Earphone Out	×1
Coaxial Out	×1
MINI YPBPR	×1
Operating System	
Resolution	1920*1080
share with phone	Yes
OS	Android 14.0 (AOSP)
CPU	ARM CA53*4
GPU	G52MC1
DDR SIZE	1G
Flash Memory	8GB Byte
CPU Frequency	1150-1450MHz
GPU Frequency	500Mhz
Packing details (Dimension)	
Loading	1560pcs/40'HQ
TV Dimension	731*68*432.2mm
Packing Dimension	750*75*465
OTHER FEATURES	
HDTV Compatible (YPBPR)	Yes
Bluetooth	No
WIFI	Yes
VGA resolution	640*480, 800*600, 1024*768, 1366*768, 1920*1080, 3840*2160 (UHD Panel only)
Stand base	plastic
MAIN board	3 in 1 board S.T.CS2352P687
POWER REQUIREMENTS	
Power Source	100-240VAC 50/60HZ
Power ON consumption	≤48W

SK4040SFL

40" SMART FRAMELESS LED TV



Standby consumption	≤0.5W
Power Plug	EU
USB 2.0 SLOT	
USB Type	2.0
Video Support	MPEG1/2/4,H.264
Audio Support	MP3
Photo Support	JPG/JPEG/BMP/PNG
Other Support	TXT
ACCESSORIES IN THE BOX	
Remote control	1
User Manual	1
Stand	1 pair
AUDIO	
Max Audio Output Power	2*10W (8Ω)
Total number of speakers	2
Speaker	5090 Speaker
Weight	
Net Weight (Kg)	5.7
Gross Weight (Kg)	6.9