



Panel brand	BOE, Skill Tech (A standard screen)
Product color	Silver/Black/White
product type	Touch PC all-in-one machine (supporting X86 motherboard, OPS box)
Display Size	43 inches (16:9)
panel type	LED LCD display screen
Physical resolution	1920 * 1080 (standard) -3840 * 2160 (optional)
Display color	10bit, 1.07B

Refresh rate	2K-60Hz (4K-60Hz optional)	
brightness	Up to 350cd/m2	
contrast ratio	5000 : 1	
Perspective (degree)	178°	
Backlight lifespan	50000 hours	
Touch parameters		
Touch embedding method	Built in integrated, non external	
Touch sensing technology	Infrared induction recognition touch technology (10 points)	
Writing method	Fingers, touch pens or other non transparent objects with a diameter of not less than 5mm (multi-point 8mm)	
Cursor speed	120 points/s	
positioning accuracy	More than 90% of the touch area is ± 2mm	
communication interface	B-type USB male connector	
Touch interface	Tempered glass	
Touch frequency	Theoretical Infinite Times	
Computer response	System automatic recognition; ≤ 8ms	
Driver program	HID driver free	
Touch function	Support 10 point computer touch operation	
	Support image enlargement, reduction, and rotation	
Characteristics of the whole machine		
Shell and appearance	The body is made of metal coated cold-rolled steel plate with a surface of 3.5mm tempered glass.	
colour	Standard black (silver, white optional)	
machine overall size	992.4mm *580.7mm*62.4mm	
Net weight	20.0KG	
Gross weight	21.5KG	
working voltage	AC110-220V	
Maximum power consumption rate	≤90W	
standby power	≤2.5W	
Speaker specifications	10W/8 ohms x 2 speakers	
Working environment		
Environmental parameters	Workplace	indoor
	working temperature	0℃ - 40℃
	Working humidity	10% -90% non condensing
	Storage temperature	-20℃ - 60℃
	Storage humidity	10% -90% non condensing

